



**BRACKETS FROM  
PANZERKABEL®**



# VIDEOKRAFTWAGEN FROM PANZERKABEL®



*Optional:  
Auerbox*



*Optional:  
Set of 4 rollers*

PANZERKABEL® offers a practical solution for the mobile installation of stage preview monitors with its **Video-kraftwagen**. This is a rolling floor stand for stage preview displays. Products of this kind were previously unavailable for AV rental. The rolling stand weighs only 12.0 kg and folds down to a compact height of 21.5 cm for transport.

In the lower section, power distribution units or converter boxes disappear from view on the magnetic base plate. For further optical shielding, customized screens can be inserted. The tilt of the VKW is adjustable in four positions. Thanks to the Audipack mount, monitors with appropriate brackets can be mounted directly. The video truck supports monitors up to 55 inches as standard, and even up to 75 inches with an optional extension plate. The matching set of 4 rollers for our VKW can also be ordered in the shop.

## **Dimensions Videokraftwagen (VKW)**

with wheels and folded:

71.0 x 48.0 x 21.5 cm (L x W x H)

**Material:** Sturdy tubular steel frame, black, powder-coated

**Shipping weight:** 12.0 kg

**Dimensions Expansion plate:** 50.5 x 22.0 x 2.0 cm (L x W x H)

**Dimensions Auerbox:** 80.0 x 60.0 x 24.0 cm (L x W x H) modified for VKW including carrying handle and foam adjustment

**Shipping weight:** 8.0 kg





*VKW with 43" monitor*



*VKW with 55" monitor*



*VKW with 75" monitor and  
Expansion plate*

# VIDEOTISCHFUSS FROM PANZERKABEL®

---



*Videotischfuss front*



*Videotischfuss side*



The elegant and stylish Videotischfuss (VTF) is used for the secure mounting of monitors from 32" to 55" up to a maximum weight of 20 kg. It features an Audipack 5-pin receptacle, allowing direct attachment of 5-pin brackets. Brackets are optionally available from PANZERKABEL®.

The mounting plate for the Videotischfuss is made of V2A stainless steel, with basic dimension of 30.0 x 30.0 cm. The vertical mounting plate can also be used as an adapter plate for the video cart. Felt glides prevent scratching of the table. Quick assembly/disassembly with just two screws is guaranteed.

Planned and designed in Germany, manufactured in the EU European precision manufacturing.



# TRUSS HOLDER FROM PANZERKABEL®



Truss holder front



Truss holder behind  
(with Global Truss Half Coupler and  
Locking hook; both are optionally  
Available in the PANZERKABEL shop)



Truss Holder on the truss, front



Truss Holder on the truss, side

## Dimensions Truss holder (TH)

45.0 x 27.5 x 4.0 cm (L x W x H)

**Material:** Steel frame, black, powder-coated

**Shipping weight:** 2.6 kg

## Global Truss Half Coupler

Set of 2 for mounting on the truss

## Locking hook


Retrofit kit for wall bracket WH1 and  
traverse bracket TH1 as anti-theft device.

- For trusses from 24.0 cm to 40.0 cm
- Suitable for flat screens up to 90°
- Maximum load 110 kg (with a safety factor of 1.6)
- 5-point mount
- Compatible with Audipack and Smartmetal
- Compatible with Global Truss Half Couplers and Locking hooks
- Planned and designed in Germany
- Precision manufacturing in the EU



# BRACKET V800, V600 AND V400 FROM PANZERKABEL®

---



*Bracket V800 800 × 600*  
*5-pin Audipack compatible*

- VESA 200 × 200, 300 × 300, 400 × 400, 600 × 400, 800 × 600
- Maximum load 110 kg (safety factor 1.6)
- Compatible with Audipack and Smartmetal
- Planned and designed in Germany
- Precision manufacturing in the EU
- **Dimensions:** 83.0 × 63.0 × 3.0 cm (L x W x H)
- **Shipping weight:** 12.0 kg



*Bracket V600 600 × 400*  
*5-pin Audipack compatible*

- VESA 200 × 200, 300 × 300, 400 × 400, 600 × 400
- Maximum load 110 kg (safety factor 1.6)
- Compatible with Audipack and Smartmetal
- Planned and designed in Germany
- Precision manufacturing in the EU
- **Dimensions:** 63.0 × 43.0 × 3.0 cm (L x W x H)
- **Shipping weight:** 5.5 kg



*Bracket V400 400 × 400*  
*5-pin Audipack compatible*

- VESA 200 × 200, 300 × 300, 400 × 400
- Maximum load 110 kg (safety factor 1.6)
- Compatible with Audipack and Smartmetal
- Planned and designed in Germany
- Precision manufacturing in the EU
- **Dimensions:** 43.0 × 43.0 × 3.0 cm (L x W x H)
- **Shipping weight:** 3.0 kg



# BRACKET V200 AND WALL BRACKET AND FLUGWINKEL FROM PANZERKABEL®



Bracket V200 200 x 200  
5-Pin Audipack-compatible



- VESA 75 x 75, 100 x 100, 200 x 200
- Maximum load 110 kg (safety factor 1.6)
- Compatible with Audipack and Smartmetal
- Planned and designed in Germany
- Precision manufacturing in the EU
- **Dimensions:** 20.0 x 20.0 x 2.8 cm (L x W x H)
- **Shipping weight:** 1.2 kg



Wall Bracket WH (for flat screen)  
5-Pin Audipack-compatible



- Suitable for flat screens up to 90"
- Maximum load 110 kg (safety factor 1.6)
- Compatible with Audipack and Smartmetal
- Planned and designed in Germany
- Precision manufacturing in the EU
- **Dimensions:** 34.5 x 28.0 x 2.0 cm (L x W x H)
- **Shipping weight:** 2.5 kg



PANZERKABEL Flugwinkel V550 (a pair of)

- For flying suspension of screens from 43" to 65"
- Maximum load 110 kg (safety factor 1.6)
- 2 x fastening rings (crack-tested DGUV ring eyes)
- 2 x Stainless steel washers V2A
- 2 x Stainless steel V2A locking crack-tested DGUV nuts
- Planned and designed in Germany,
- Manufactured in the EU
- European precision manufacturing
- **Dimensions:** 68.0 x 4.0 x 6.0 cm (L x W x H)
- **Shipping weight:** 5.8 kg



Flugwinkel V550 in application

PANZERKABEL Flugwinkel V1500 (a pair of)

- For flying suspension of screens from 65" to 110"
- Maximum load 110 kg (safety factor 1.6)
- 2 x fastening rings (crack-tested DGUV ring eyes)
- 2 x Stainless steel washers V2A
- 2 x Stainless steel V2A locking crack-tested DGUV nuts
- Planned and designed in Germany,
- Manufactured in the EU
- European precision manufacturing
- **Dimensions:** 112,0 x 4,0 x 11,5 cm (L x W x H)
- **Shipping weight:** 8.0 kg





**PANZERKABEL®**

a brand of Bildkraft

**Bildkraft**

Gewerbegebiet Dresden-Heidenau, Halle 2

Sporbitzer Ring 4 : 01259 Dresden/Germany

phone: +49 351 648240-0 : e-mail: [info@panzerkabel.de](mailto:info@panzerkabel.de)

[www.panzerkabel.de](http://www.panzerkabel.de)